

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Hans SIGRIST

PCT/EP00/06513,
Filed July 10, 2000

Appln. No.: 10/031,068

Confirmation No.: 6054

Filed: January 15, 2002

For: BIOCHEMICAL SENSOR SYSTEM WITH INCREASED SENSITIVITY BY MOLECULAR
SIGNAL AMPLIFICATION

**RESPONSE TO NOTIFICATION OF MISSING REQUIREMENTS UNDER 35 U.S.C. 371 IN
THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US)**

ATTN: BOX PCT
Commissioner for Patents
Washington, D.C. 20231


Sir:

In response to the "Notification of Missing Requirements Under 35 U.S.C. 371 in the United States Designated/Elected Office (DO/EO/US)," for the above application, Applicant respectfully submits herewith the Declaration for the above identified application properly executed by the inventors.

A check for the statutory fee of \$130.00 is attached. Please also charge any underpayment or credit any overpayment to Deposit Account No. 19-4880. A duplicate copy of this paper is attached.

Filed concurrently herewith are (1) a Petition (with fee) for an Extension of Time of One Month and (2) Recordation Form Cover Sheet w/executed Assignment and required fee.

Respectfully submitted,


John H. Mion
Registration No. 18,879

05/03/2002 GFREY1 00000121 10031068

01 FC:154

130.00 0P

SUGHRUE MION, PLLC
2100 Pennsylvania Avenue, N.W.
Washington, D.C. 20037-3213
(202) 663-7901
May 29, 2002